

## **AMENDMENTS TO THE SPECIFICATION:**


Please amend the specification as follows:

Page 1, replace the title with the following amended title:

PHOTOSENSITIVE RESIN COMPOSITION FOR ~~PRINTING SUBSTRATE~~  
~~CAPABLE OF LASER ENGRAVABLE SCULPTURE PRINTING SUBSTRATE~~

Page 13, replace the paragraphs beginning on line 23 through page 15, line 2 with the following amended paragraphs:

3. The photosensitive resin composition set forth in item 1, wherein the above described organic silicon compound (c) comprises a silicone compound represented by the average composition formula (1):



wherein R represents one or more hydrocarbon groups selected from the group consisting of a linear or branched alkyl group(s) having 1 to 30 carbon atoms, a cycloalkyl group(s) having 5 to 20 carbon atoms, ~~an unsubstituted or substituted alkyl group(s) having 1 to 20 carbon atoms,~~ an alkoxy group(s) having 1 to 20 carbon atoms, an alkyl group(s) substituted with an aryl group and having 1 to 30 carbon atoms (the number of carbon atoms before the alkyl group is substituted), an aryl group(s) substituted with a halogen atom and having 6 to 20 carbon atoms, an alkoxycarbonyl group(s) having 2 to 30 carbon atoms, a monovalent group(s) containing a carboxyl group or a salt thereof, a monovalent group(s) containing a sulfo group or a salt thereof, and a polyoxyalkylene group(s),

Q and X each represent one or more hydrocarbon groups selected from the group consisting of a hydrogen atom, a linear or branched alkyl group(s) having 1 to 30 carbon atoms, a cycloalkyl group(s) having 5 to 20 carbon atoms, ~~an unsubstituted or substituted alkyl group(s) having 1 to 20 carbon atoms~~, an alkoxy group(s) having 1 to 20 carbon atoms, an alkyl group(s) substituted with an aryl group and having 1 to 30 carbon atoms (the number of carbon atoms before the alkyl group is substituted), an aryl group(s) substituted with a halogen atom and having 6 to 20 carbon atoms, an alkoxycarbonyl group(s) having 2 to 30 carbon atoms, a monovalent group(s) containing a carboxyl group or a salt thereof, a monovalent group(s) containing a sulfo group or a salt thereof, and a polyoxyalkylene group(s), and

Page 23, replace the paragraphs beginning on line 1 through page 24, line 27 with the following amended paragraphs:


[0018]

(In the formulae,  $R_1$  each independently represents one or more hydrocarbon groups selected from the group consisting of a hydrogen atom, linear or branched alkyl groups having 1 to 30 carbon atoms, cycloalkyl groups having 5 to 20 carbon atoms, ~~unsubstituted or substituted alkyl groups having 1 to 20 carbon atoms~~, alkoxy groups having 1 to 20 carbon atoms, alkyl groups substituted with an aryl group and having 1 to 30 carbon atoms (the number of carbon atoms before the alkyl is substituted), aryl groups substituted with a halogen atom and having 6 to 20 carbon atoms, alkoxy carbonyl groups having 2 to 30 carbon atoms, monovalent groups containing a carboxyl

group or a salt thereof, monovalent groups containing a sulfo group or a salt thereof, and polyoxyalkylene groups.)

[0019]

The above described silicone compound is represented by the average composition formula (1).



(In the formula, R represents one or more hydrocarbon groups selected from the group consisting of linear or branched alkyl groups having 1 to 30 carbon atoms, cycloalkyl groups having 5 to 20 carbon atoms, ~~unsubstituted or substituted alkyl groups having 1 to 20 carbon atoms~~, alkoxy groups having 1 to 20 carbon atoms, alkyl groups substituted with an aryl group and having 1 to 30 carbon atoms (preferably 2 to 30 carbon atoms) (the number of carbon atoms before the alkyl group is substituted), aryl groups substituted with a halogen atom and having 6 to 20 carbon atoms, alkoxycarbonyl groups having 2 to 30 carbon atoms, monovalent groups containing a carboxyl group or a salt thereof, monovalent groups containing a sulfo group or a salt thereof, and polyoxyalkylene groups.

[0020]

Q and X each represent one or more hydrocarbon groups selected from the group consisting of hydrogen, linear or branched alkyl groups having 1 to 30 carbon atoms, cycloalkyl groups having 5 to 20 carbon atoms, ~~unsubstituted or substituted alkyl groups having 1 to 20 carbon atoms~~, alkoxy groups having 1 to 20 carbon atoms, alkyl groups substituted with an aryl group and having 1 to 30 carbon atoms (the number of carbon atoms before the alkyl group is substituted), aryl groups substituted with a

halogen atom and having 6 to 20 carbon atoms, alkoxycarbonyl groups having 2 to 30 carbon atoms, monovalent groups containing a carboxyl group or a salt thereof, monovalent groups containing a sulfo group or a salt thereof, and polyoxyalkylene groups, and p, r and s are numbers satisfying the formulas: